

ScanSnap ixsoo









Free yourself with ScanSnap iX500!

Wi-Fi scanning to a PC or Mac

And now iOS and Android mobile device and tablets

Easy One-button PDF creation

Just stack in the paperwork and press the scan button

Handles a stack of documents

Load up to 50 sheets in the automatic document feeder

Scans both sides of each page at the same time

Images are automatically straightened and cropped

with blank sides removed

Fast and reliable document scanning

Scans up to 25 pages per minute with advanced paper handling

Scans business cards to

oversized documents

With carrier sheet, scans A3 documents, photos,

and much more



Wi-Fi or USB connectivity to a computer



Break free from USB and place ScanSnap feeding system just about anywhere in the room with Wi-Fi Inheriting the superior connectivity to a PC or Mac.*

* May require latest online updates. Requires use of an existing wireless of our professional-grade router. Only one computer can be registered for Wi-Fi connection.

Scan directly to mobile devices



Quickly bypass the computer altogether and scan a PDF or JPEG fi le directly to an iOS or Android mobile device or tablet.*

* See list of supported devices at http://scansnap.fujitsu.com

Advanced paper

paper feeding technology scanners, iX500 achieves exceptional feeding reliability using

"Separation Roller" technology to minimize jams and multi-feeds.

Built-in GI microprocessor



A dual-core CPU-mounted "GI" processor performsImage processing: Automatic corrections and image output the intelligent image enhancement responsible for · Supports Wi-Fi: WPS (Wi-Fi Protected Setup) wireless LAN great looking images with dramatically faster result@EEE802.11b/g/n) - Supports USB 3.0 and more sophisticated connectivity.

ScanSnap ix500

Quick Menu saves time!



Quick Menu for Windows® shown

The ScanSnap Quick Menu for PC and Mac automatically pops up after scanning to provide you a variety of ways to be immedi- ately productive with your scans. It can be easily customized to display just your favorites, present a recommendation, and even display custom profiles.

Scan to Cloud



For the ultimate in accessibility to your scans across multiple platforms, computers and devices, iX500 provides operators a convenient way to scan directly to your existing Evernote, Dropbox, Google Docs, SugarSync and Salesforce accounts.1

Accelerated Searchable PDF creation

Making PDF fi les searchable at the point of scanning is a great



way to keep them instantly accessible and now you can create a searchable PDF at nearly the same speed as a standard PDF.

Scan there! ScanSnap Folder

Scan to virtually any application or web service that can open, insert or attach a PDF of JPEG file from your Windows® computer.

Organize business cards



CardMinder for Windows shown

Scan, store, and edit business card information with the bundled CardMinder software for Mac and PC and even export data into other applications like Address Book, Excel, and Salesforce.

ScanSnap Receipt

ScanSnap Receipt allows users to easily scan and extract information from receipts, and export the data into CSV for easy tax fi ling. ScanSnap Receipt also supports multiple languages and currencies.2

- apply. , German, Italian, Russian
- 1. Internet connection required. Service fees may apply.
- 2. Supported languages: English, Spanish, French, German, Italian, Russian. Supported currencies: USD (United States Dollar), CAD (Canadian Dollar), GBP (Great Britain Pound), EUR (Euro), RUB (Russian ruble), AUD (Australian dollar)



ScanSnap Cloud

ScanSnap Cloud makes scanning easier than ever before, enabling ScanSnap to scan directly to your favorite cloud service without the need for a compute or mobile device. Simply press the scan button and your scans are automatically separated into documents, receipts, business cards or photos and sent to a predetermined cloud service.

General	Specifications			
Description		ScanSnap iX500		
Scanner type		ADF (Automatic Document Feeder), Duplex scanning		
Scanning modes		Color, grayscale, monochrome, automatic (color / grayscale / monochrome •3 detection)		
Image senso)r	Color CIS x 2 (front x 1, back x 1)		
Light source		3 Color LED (Red / Green / Blue)		
	Auto mode +2	Simplex / Duplex: 25 ppm		
Scanning speed	Normal mode	Color / Grayscale: 150 dpi, Monochrome: 300 dpi, Simplex / Duplex: 25 ppm		
	Better mode	Color / Grayscale: 200 dpi, Monochrome: 400 dpi, Simplex / Duplex: 25 ppm		
(A4 portrait)	Best mode	Color / Grayscale: 300 dpi, Monochrome: 600 dpi, Simplex / Duplex: 25 ppm		
	Excellent mode +3	Color / Grayscale: 600 dpi, Monochrome: 1,200 dpi, Simplex / Duplex: 7 ppm		
Document	Normal mode without Carrier Sheet	A4, A5, A6, B5, B6, Business card, Post card, Letter, Legal and Custom sizes (Max: 216 x 360 mm (8.5 x 14.17 in.), Min: 50.8 x 50.8 mm (2 x 2 in.))=3/ Automatically recognizes document size		
size	Normal mode with Carrier Sheet •3	Use of a Carrier Sheet permits the scanning of A3, B4, 11 x 17 in. and photographs as well as the document sizes that are listed above		
	Long paper scanning +3 +4	863 mm (34 in.)		
Paper weight (Thickness)		40 to 209 g/m² (11 to 56 lb) Als size: 127 to 209 g/m² or 34 to 56 lb Cards (ISO7810 ID-1 type conforming) can be used. (thickness 0.76 mm or less) Embossed card: useable (Landscape only)		
Paper chute	capacity +5	Maximum 50 sheets (A4, 80 g/m² or 20 lb)		
USB Interfac	e	USB3.0 (USB2.0 / USB1.1 Supported) +6		
Observed standard		IEEE802.11b / IEEE802.11g / IEEE802.11n		
	Communication mode	Infrastructure mode		
	Frequency • 8	2.412 GHz to 2.462 GHz / 2.412 GHz to 2.472 GHz		
Wi-Fi	Communication distance	Indoors, 50 m (Recommended: indoors, within 25 m) *May vary depending on the surrounding environment and the access point to be connected.		
Interface •7	Security	WPA-PSK (TKIP/AES/AUTO), WPA2-PSK (AES), WPA-PSK, WPA2-PSK (AES/AUTO), WPA (TKIP/AES/AUTO), WPA2 (AES), WPA, WPA2 (AES/AUTO), SharedKey (WEP (64-bit/128-bit)), 802.1X (WEP (64-bit/128-bit)) • 9		
	Easy installation	WPS2.0 supported (button / PIN code)		
Power requi	rement	AC 100 to 240 V, 50 / 60 Hz		
Power	USB connected	Operating mode: 20 W or less, Sleep mode: 1.6 W or less, Auto Standby (Off) mode: 0.4 W		
consumption	Wi-Fi connected	Operating mode: 20 W or less, Sleep mode: 2.5 W or less, Auto Standby (Off) mode: 0.4 W		
Operation environment		Temperature: 5 to 35 °C (41 to 95 °F) Relative humidity: 20 to 80 % (Non-condensing)		
Dimensions (W x D x H) *10		292 x 159 x 168 mm (11.5 x 6.2 x 6.6 in.)		
Device weight		3.0 kg (6.62 lb)		
Environmental compliance		ENERGY STAR® / RoHS		
Multifeed detection		Supported (Standard) ultrasonic multifeed detection sensor		
Driver		Specific driver ■ Windows®: Does not support TWAIN / ISIS™ ■ Mac OS: Does not support TWAIN		

\$1 Scanning speeds may vary due to the system environment used. \$2 Documents measuring *1 Scanning speeds may vary due to the system environment used. *2 Documents measuring approximately 148 mm in length or less are scanned in "Best mode", while other documents are scanned in "Better mode". *3 Only computer connection *4 ScanSnap X500 is capable of scanning documents that exceed A4 size in length. It supports the scanning of longer documents in all modes, except for "Excellent mode". *5 Maximum capacity varies, depending upon paper weight. *6 Some computers do not recognize the ScanSnap when it is connected to a USB 3.0 port. In this case, please use a USB 2.0 port. *7 Mobile devices that can be connected include iPad / iPhone / iPod touch and Android™ devices. Refer to ScanSnap website for details. *8 Values depends on country. *9 Please update the ScanSnap Manager to the latest version for configuring IEEE802.1X authentication. Refer to ScanSnap website for further information. *10 Excluding the stacker and other external attachments.

Options

Description Part number		Remarks		
ScanSnap Carrier Sheets	PA03360-0013	5 Carrier Sheets Intended for ScanSnap IX500, S1500, S1500M, S1100, S510, S510M		
ScanSnap Bag	PA03951-0651	Intended for ScanSnap IX500, S1500, S1500M, S510, S510M and included items		

*1 Although ScanSnap Carrier Sheets have a listed lifespan of 500 scans, the lifespan may vary with usage. ScanSnap Carrier sheets are intended to scan paper documents with weights of 127 g/m² or less. They also support the scanning of folded documents that are as large as 216 x 297 mm.

■ Consumables

We recommend the use of our genuine products for the consumables. Failures, troubles, and damage of this product resulting from the use of consumables other than our genuine products are subject to repair fees even within the warranty period.

= Contracting of main and maintain pariods				
Description	Part number	Remarks		
Roller Set	PA03656-0001	Lifetime: Every 200,000 sheets or one year. (For ScanSnap IX500 only)		
Cleaner F1	PA03950-0352	100 ml bottle For use on the Brake roller and Pick roller		
Cleaning Wipe	PA03950-0419	1 pack (24 packets) For use on the Brake roller and Pick roller		

These recommended lifetimes are for 80 g/m² (20 lb) A4 sized documents. Therefore, appropriate replacement lifetimes may vary for other document types.

■ ScanSnap iX500 System Requirements

Windows						
Recommended operating systems		Windows® 10 (32-bit / 64-bit)	Windows® 8.1 (32-bit / 64-bit)	Windows® 7 (32-bit / 64-bit)		
	ScanSnap Manager	Supported	Supported	Supported		
Driver / Applications •2	ScanSnap Organizer	Supported	Supported	Supported		
	ScanSnap Receipt +3	Supported	Supported	Supported		
	CardMinder+3	Supported Supported		Supported		
	ABBYY FineReader for ScanSnap™	Supported Supported		Supported		
	Scan to Microsoft® SharePoint®	Supported	Supported	Supported		
	Nuance® Power PDF Standard+2	Supported	Supported	Supported		
	CPU*6	Intel® Core™ i5 2.5 GHz or higher				
	Memory capacity *6	4 GB or more				
Hardware requirements	Display	1,024 pixels o	800 x 600 pixels or higher			
e5	Disk capacity +7	5 GB or r	isk space			
	DVD-ROM drive	Rec	n+s			
	USB port *6 *9	USB3.0 •10 / USB2.0 / USB1.1				

USB 3.0 *10 / USB2.0 / USB1.1

\$1 Operate as a desktop application. \$2 Please refer to the ScanSnap website for the latest support information. \$3 Please visit the website of the company for download information. (http://scansnap.fujtsu.com/g-support/en/) \$4 Requires Service Pack1, \$5 The ScanSnap device may not work if the connected computer does not meet these requirements. \$6 Scanning speeds may drop if recommended CPU, memory capacity and USB 1.1 requirements are not met. \$7 Microsoft .NET Frimework 3.5 SP1 will be installed (requires 500 MB of disk space) together with ScanSnap Manager, ScanSnap Organizer or CardMinder for systems that do not have .NET Framework 3.5 SP1 installed, When using "Scan to Google Drive" with ScanSnap Manager/ScanSnap Organizer, users also need to install either .NET Framework 4 or in-place updates of .NET Framework 4. \$8 if you have no DVD-ROM drive, please visit the website of the company. (http://scansnap.fujitsu.com/g-support/en/) \$9 ScanSnap operates on both USB 2.0 and USB 3.0 without any difference in performance. \$10 Some computers do not recognize the ScanSnap when it is connected to a USB 3.0 port, in this case, please use a USB 2.0 not recognize the ScanSnap when it is connected to a USB 3.0 port. In this case, please use a USB 2.0 port. *System requirements may change depending on the duration of support and the support policy of the companies that make the software listed in the table above.

· mac o	• Mac OS							
Recommende		macOS v10.12 Recommended: v10.12.1 orlate(+2	OS X v10.11	OS X v10.10	OS X v10.9 Recommended: v10.9.5 orlister	Recommended:	Mac OS X v10.7 Recommended: v10.7.5 or later)	Recommended
Driver / Applications •1	ScanSnap Manager	Supported	Supported	Supported	Supported	Supported	Supported	Supported
	ScanSnap Organizer	Supported	Supported	Supported	Supported	Supported	Supported	Not Supported
	ScanSnap Receipt +2	Supported	Supported	Supported	Supported	Supported	Supported	Not Supported
	CardMinder	Supported	Supported	Supported	Supported	Supported	Supported	Supported
	ABBYY FineReader for ScanSnap TM +3	Supported	Supported	Supported	Supported	Supported	Supported	Supported
	Nuance® PDF Converter for Mac+3	Supported	Supported	Supported	Supported	Supported	Supported	Nat Supported
	CPU+5	Intel® Core™ i5 2.5 GHz or higher)						
	Memory capacity+s	4 GB or more						
Hardware	Display	1,024 x 768 pixels or higher						
requirements	Disk capacity	2.5 GB or more of free hard disk space						
0-4	DVD-ROM drive	Required for installation • 6						
	USB port +5 +7	USB3.0 • 1 / USB2.0 / USB1.1						

*1 Please refer to the ScanSnap website for the latest support information. *2 Please visit the website of *1 Piesse refer to the ScanSnap website for the latest support information. *2 Piesse visit the website of the company for download information. (http://scansnap.fujitsu.com/g-support/en/) *3 Compatibility may differ depending on the software's version. *4 The ScanSnap device may not work if the connected computer does not meet these requirements. *5 Scansing speeds may drop if recommended CPU, memory capacity and USB 1.1 requirements are not met. *6 if you have no DVD-ROM drive, please visit the website of the company. (http://scansnap.fujitsu.com/g-support/en/) *7 ScanSnap operates on both USB 2.0 and USB 3.0 without any difference in performance. *8 Some computers do not recognize the ScanSnap when it is connected to a USB 3.0 port. In this case, please use a USB 2.0 port. *System requirements may change depending on the duration of support and the support policy of the companies that make the software listed in the table above.

■ Software Windows®		Mac OS		
Driver+1+2	ScanSnap Manager	ScanSnap Manager		
Applications	ScanSnap Organizer	ScanSnap Organizer		
	ScanSnap Receipt	ScanSnap Receipt		
	CardMinder	CardMinder		
	ABBYY FineReader for ScanSnap™	ABBYY FineReader for ScanSnap™		
	Scan to Microsoft® SharePoint®	-		
	Nuance® Power PDF Standard+3	Nuance® PDF Converter for Mac +3		

*1 TWAIN or ISIS™ applications cannot be used directly. *2 Image file (JPEG, PDF and searchable PDF) can be generated by "One Touch". The function is operable with ScanSnap Manager (ScanSnap specific driver).
*3 Please refer to included license certificate to download the software.

Included items

 ScanSnap
 AC cable
 AC adapter
 USB
 Setup DVD-ROM
 ScanSnap Carrier Sheet AC cable AC adapter USB cable (USB 3.0 supported) Safety Precautions

This scanner is designed to digitize materials that can be reproduced lawfully, in accordance with applicable copyright regulations and other laws. ScanSnap users are responsible for how they use this scanner, it is imperative that ScanSnap users comply with all applicable local rules and laws, including, without limitation, copyright laws when using this scanner.


ABBYY and FineReader are trademarks of ABBYY Software, Ltd. which may be registered in some jurisdictions. ABBYY Revenue is a registered trademark or trademark of Evernote Corporation. **Google, Google Drive and Android are registered trademarks or trademarks of intel Corporation. **Google, Google Drive and Android are registered trademarks or trademarks of intel Corporation in the United States and other countries. **SIS*** is a registered trademark of BMC Corporation in the United States and/or other countries. **SIS*** is a registered trademarks of BMC Corporation in the United States and/or other countries. **SIS*** and under license. **Sistentone and Salestone CRM are registered trademarks or trademarks of the respective companies. **Other company names and product names are the registered trademarks or trademarks or





PFU Limited, a Fujitsu company, has determined that this product meets the ENERGY STAR® guidelines for energy efficiency. ENERGY STAR® is a registered trademark of the United States.

For more ScanSnap related information, visit our website at : http://scansnap.fujitsu.com/



and use this device as instructed.

▲ Safety Precautions Be sure to carefully read all safety precautions prior to using this product oily areas. Using this product under such conditions may result in electrical shock, fire or damage to this product.

OMR Solutions

H.O.: 503, DLF Prime Towers, Okhla Phase-1, New Delhi-110020

M.: +91 9319123429 +91 8954800532